

KM 100/100 R G


Comfortable and modern ride-on sweeper for professional use in outdoor and indoor area for areas from 8000 – 10,400 square metres/h.











1 Impact protection

■ Protects the sweeper and obstacles within the area being cleaned.

3 Easy to maintain

Filter and roller brush easy to remove without tools for flexible maintenance.

2 Large filter area with automatic filter cleaning system

- The filter is automatically cleaned when the machine is switched off

 for continuous low-dust sweeping for long periods of uninterrupted use.
- Filter cleaning can also take place manually.

4 EASY Operation operating concept

- Clear and logical arrangement of all controls in the handle and field of view for ease of use.
- Standard symbols for all Kärcher sweepers.

TECHNICAL DATA AND EQUIPMENT





KM 100/100 R G

- Automatic filter cleaning system
- Ergonomic operating concept
- Fully hydraulic, low maintenance

Technical data		
Order no.		1.280-105.0
EAN code		4039784468580
Traction drive		Four-stroke engine
Drive- performance	kW	6.7
Max. area performance	m²/h	8000
Max. area performance with 2 side brushes	m²/h	10400
Working width	mm	700
Working width with 1 side brush	mm	1000
Working width with two side brushes	mm	1300
Waste container	I	100
Climbing ability	%	18
Working speed	km/h	8
Filter areas	m²	6
Weight	kg	340
Dimensions (L × W × H)	mm	2006 × 1005 × 1343

Equipment			
Polyester round filter		Elapsed time counter	•
Filter cleaning manual		Sweeping function, can be switched off	
Filter cleaning automatic		Wheels, pneumatic	•
Main sweeper roller, floating			
Suction volume regulation			
Coarse dirt flap	•		
Overhead sweeping principle			
Forwards traction drive	•		
Backwards traction drive			
Suction	•		
Outdoor use			
Included in the same of sumply			





		Order no.	Installation ex works	Battery volt-	Battery capaci- ty	Battery type	Price	Description	
Traction batteries and chargers									
Battery	1	7.654-001.0		12 V	50 Ah			Starter battery.	П

[■] Included in the scope of supply.

□ Available accessories.













		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description
Round filter							
Round filter	1	6.414-532.0					Moisture-proof, washable single round filter for Kärcher sweepers. Filter noticeably reduces maintenance costs.
Standard roller brush							
Standard roller brush	2	6.906-375.0		700 mm	285 mm		Water-resistant universal bristles, durable, suitable for all surfaces.
Main sweeper roller, soft							
Main sweeper roller, soft/natural	3	6.906-533.0		700 mm	285 mm		With natural bristles, ideal for sweeping fine dust on smooth surfaces in both inside and outside areas.
Main sweeper roller, hard							
Main sweeper roller, hard	4	6.906-532.0		700 mm	285 mm		For the removal of stubborn dirt outdoors
Main sweeper roller, antistatic							
Main roller brush, antistatic	5	6.906-534.0		700 mm	285 mm		For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)

[■] Included in the scope of supply.

Available accessories.









			Installation ex works	Length / width	Diame- ter	Price	Description
Standard side brushes	· ·						
Standard side brush	1	6.905-986.0			450 mm		Standard side brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.
Side brush, hard							
Side brush, hard	2	6.906-065.0			450 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive $\hfill \Box$
Side brush, hard							
Side brush, steel bristles	3	6.906-022.0			450 mm		For stripping, removing moss, abrasive, for outdoor use only
Side brush, soft							
Soft side brush	4	6.906-133.0			450 mm		Sweeps fine dust on all surfaces, moisture-proof, for indoors

 $[\]blacksquare$ Included in the scope of supply. \Box Available accessories.











							\Box
		Order no.	Installation ex works		Price	Description	
Lighting		•					
Working lights	1	2.640-551.0	2.640-551.7			For better visibility, e.g. in underground garages or warehouses	
Protective roof with 360° warning	beacor	n					
Protective roof for operator with 360° warning beacon	2	2.640-468.7	2.640-468.7			Necessary for operating sweeper in high-bay warehouses. Complies with IEC 60335-2-72	
Sweeping/Vacuuming							
Suction hose	3	2.641-689.0	2.641-689.7			For cleaning corners	
Warning beacon							
Flashing beacon	4	2.643-886.0	2.643-886.7			Increases safety when working	
Side brushes, left							
ABS 2. Side brush, left	5	2.851-049.0	2.851-049.7			complete, incl. standard side brush to increase area swept	
	6	2.850-571.0	2.850-571.7			Complete, including standard side brushes for excellent cleaning results (up to serial number 11857).	

[■] Included in the scope of supply.

□ Available accessories.





		Order no.	Installation ex works		Price	Description	
Tyres, puncture-proof							
Puncture-proof tyres (set), solid rubber	1	2.640-431.7	2.640-431.7			Recommended for sweeping metal shavings, glass shards, etc.	

[■] Included in the scope of supply.

□ Available accessories.